

Date: 18-SEP-19 **PO No.:** 1517879 **WO No.:** L2344651

LSD:

Project Ref: EMILY CARR ELEMENTARY

Sample ID: RM B125 DF
Sampled By: ROBIN LEMAY
Date Collected: 10-SEP-19
Lab Sample ID: L2344651-1
Matrix: WATER

PAGE 1 of 5

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyzed
Total Metals Lead (Pb)-Total	0.000711		mg/L	0.005		18-SEP-19
CDWQG = Health Canada Guideline Limits updated	JUNE 2019					
* CDWQG for Nitrate+Nitrite-N is the limit for nitrate only * Turbidity guideline based on membrane filtration. For Summary Table of Guidelines for Canadian Drinking Wa	guidelines on cor					ise see

- A blank entry designates no known limit.
- A shaded value in the Results column exceeds CDWQG MAC and/ or Aesthetic Objective.

Approved by

Edward Ngai

Account Manager

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD | Part of the ALS Group | A Campbell Brothers Limited Company





Date: 18-SEP-19 PO No.: 1517879 WO No.: L2344651

LSD:

Project Ref: EMILY CARR ELEMENTARY

Sample ID: RM B110A DF
Sampled By: ROBIN LEMAY
Date Collected: 10-SEP-19
Lab Sample ID: L2344651-2
Matrix: WATER

PAGE 2 of 5

ATTN. Stephen monas						
Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyzed
Total Metals Lead (Pb)-Total	0.00248		mg/L	0.005		18-SEP-19
CDWQG = Health Canada Guideline Limits updated	JUNE 2019					
 * Turbidity guideline based on membrane filtration. For Summary Table of Guidelines for Canadian Drinking Wa - A blank entry designates no known limit. 	etals Lead (Pb)-Total O.00248 Test Description Result Qualifier Measure MAC Objective Analyzed Analyzed In Section In Section					

Approved by

Edward Ngai Account Manager

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD | Part of the ALS Group | A Campbell Brothers Limited Company





Date: 18-SEP-19
PO No.: 1517879
WO No.: L2344651

LSD:

Project Ref: EMILY CARR ELEMENTARY

Sample ID: RM 109 DF
Sampled By: ROBIN LEMAY
Date Collected: 10-SEP-19
Lab Sample ID: L2344651-3
Matrix: WATER

PAGE 3 of 5

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyzed
Total Metals Lead (Pb)-Total	0.00332		mg/L	0.005		18-SEP-19
CDWQG = Health Canada Guideline Limits updated	JUNE 2019					
* CDWQG for Nitrate+Nitrite-N is the limit for nitrate only * Turbidity guideline based on membrane filtration. For summary Table of Guidelines for Canadian Drinking Wa	guidelines on cor					ase see

- A blank entry designates no known limit.
- A shaded value in the Results column exceeds CDWQG MAC and/ or Aesthetic Objective.

Approved by

Edward Ngai

Account Manager

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD | Part of the ALS Group | A Campbell Brothers Limited Company





Date: 18-SEP-19
PO No.: 1517879
WO No.: L2344651

LSD:

Project Ref: EMILY CARR ELEMENTARY

Sample ID: RM 001 SSDF
Sampled By: ROBIN LEMAY
Date Collected: 10-SEP-19
Lab Sample ID: L2344651-4
Matrix: WATER

PAGE 4 of 5

<u> </u>						
Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyzed
Total Metals Lead (Pb)-Total	0.000104		mg/L	0.005		18-SEP-19
CDWQG = Health Canada Guideline Limits updated	JUNE 2019					
* CDWQG for Nitrate+Nitrite-N is the limit for nitrate only						202 202

- * Turbidity guideline based on membrane filtration. For guidelines on conventional treatment and slow sand or diatomaceous earth filtration please see Summary Table of Guidelines for Canadian Drinking Water Quality
- A blank entry designates no known limit.
- A shaded value in the Results column exceeds CDWQG MAC and/ or Aesthetic Objective.

Approved by

Edward Ngai

Account Manager

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company



Guidelines & Objectives

Health Canada MAC Health Related Criteria Limits

Nitrate/Nitrite-N* Criteria limit is 10 mg/L (1.0 mg/L if present as all Nitrite-N). High concentrations may contribute to blue baby syndrome in infants.

Lead* A cumulative body poison, uncommon in naturally occurring hard waters.

Fluoride* Present in fluoridated water supplies at 0.8 mg/L to reduce dental caries. Elevated levels causes fluorosis (mottling of teeth).

Total Coliforms* Criteria is 0 CFU/100mL. Adverse health effects.

E. Coli* Criteria is 0 CFU/100 mL. Certain E. Coli bacteria can be life threatening.

Manganese* Criteria limit is 0.12 mg/L. Possible neurological effects in infants.

*Health Canada Canadian Drinking Water Quality Guidelines (MAC limit)

Aesthetic Objective Concentration Levels

Alkalinity Acid neutralizing capacity. Usually a measure of carbonate and bicarbonates and calculated and reported as calcium carbonate.

Balance Quality control parameter ratioing cations to anions
Bicarbonate See Alkalinity. Report as the anion HCO3-1
Carbonate See Alkalinity. Reported at the anion CO3-2

Calcium See Hardness. Common major cation of water chemistry.

Chloride Common major anion of water chemistry.

Conductance Physical test measuring water salinity (dissolved ions or solids)

Hardness Classical measure or capacity of water to precipitate soap (chiefly calcium and magnesium ions). Causes scaling tendency in

water if carbonates/bicarbonates are present (if >200 mg/L). For drinking water purposes waters with results <200 mg/L are considered acceptable, results >200 mg/L are considered poor but can be tolerated. Results >500 mg/L are unacceptable.

Hydroxide See alkalinity

Magnesium See hardness. Common major cation of water chemistry. Elevated levels (>125 mg/L) may exert a cathartic or diuretic action.

Measure of water acidity/alkalinity. Normal range is 7.0-8.5.

Potassium Common major cation of water chemistry.

Sodium Common major cation of water chemistry. Measure of salinity (saltiness).

Sulphate Common major anion of water chemistry. Elevated levels may exert a cathartic or diuretic action.

Total Dissolved Solids A measure of water salinity.

Iron Causes staining to laundry and porcelain and astringent taste. Oxidizes to red-brown precipitate on exposure to air.

Heterotrophic

рΗ

Plate Count Criteria is 500 cfu/mL Measure of heterotrophic bacteria present.

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED. ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Chain of Custody (COC) / Analytical Request Form

COC Number: 17 - 763424

Page of

Canada Toll Free: 1 800 668 9878

	www.alsglobal.com		· \																
eport To	Contact and company name below will appear	on the final report	Report Format / Distribution					Select Service Level Below - Contact your AM to confirm all E&P TATs (surcharges may apply)										$\neg \neg$	
отрапу:	Vancouver School Boar	A 5	Select Report Format: PDF EXCEL EDD (DIGITAL)						Regular [R] Standard TAT if received by 3 pm - business days - no surcharges apply									\neg	
ontact:	Stephen Thomas _		Quality Control (QC) Report with Report YES NO					4 day	day [P4-20%] 1 Business day [E - 100%]									ᆲ	
hone;	604-713-5637		Compare Results to Criteria on Report - provide details below if box checked					3 day [P3-25%] Same Day, Weekend or Statutory holiday [E2 -200%							ሰ%				
	Company address below will appear on the final re	eport S	Select Distribution: 🔀 EMAIL MAIL 🔲 FAX					2 day	2 day [P2-50%] (Laboratory opening fees may apply)]								.,,		
treet:	1549 Clark Dr.		Email 1 or Fax 55 thomas @ vsb. b a					Date an	Date and Time Required for all E&P TATs: cd-mmm-yy hh:mm									\neg	
ity/Province:	Vancouver B.C							that can not be performed according to the service level selected, you will be contacted.											
ostal Code:		E	Email 3						Analysis Request										
voice To	Same as Report To	NO		Invoice Dis	stribution			Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below									$\overline{\Box}$		
	Copy of Invoice with Report YES		Select Invoice D	istribution: 🔀 E	MAJL MAÎL	FAX	12 F	T						T		TI	-	9	ons
ompany:	Exto token Etempo	1675T	mail 1 or Fax	sothonas	@ vsb.	oc. ca	NTAINER							T .		\top	\neg	ō	Special Instructions
ontact:	/			lenay@vs	<u>ib, bc. c</u>	a]≨[.			ł			오	ist E
	Project Information			Oil and Gas Required	d Fields (client us	e)]≘[1			ig.
LS Account # /			FE/Cost Center:		PO#		8	1			-					1.		8	8
ob#: E /	nily Cass Element	α√ √ \	lajor/Minor Code:		Routing Code:]ၓ] [- 1					l'	- 1		808
O/AFE:		F	Requisitioner:				[片									1 1		S	ē
SD:		L	ocation:				ايما	ᆪᅵ]	- 1 .	_	Į₹
ALS Lab Wor	rk Order# (lab use only):		LS Contact:		Sampler 0 I	. 1.		3								1		로 도	SUSPECTED HAZARD (See
	· · · · · · · · · · · · · · · · · · ·				Sampler: Robin Linny		圓	164						-					-5-
ALS Sample # - (lab use only)	Sample identification a		. · - · · · · · · · · · · · · · · · · ·	Date	Time	Sample Type	Ž	7		-] [_ -	= '	1		_ [_'	⋖ "1	8
	(This description will ap	pear on the report)		(dd-mmm-yy)	(hh:mm)		Z									\bot	'	S	ŝ
	RnB125 DF			10-09-19	11:23an	water													
	BIOA DF			10-09-19	11:30an	water						[]							\Box
	Rm. 109 DF			10-09-19	11:35 an	water													П
	Rn. 001 35DF			10-09-19	11:41 an	water							<u> </u>			1			一
	73.5			1- 1-	11				\dashv	1 1		-	 	+	\dashv	++	+	$\overline{}$	\Box
	•			<u> </u>		· ·		\dashv						+		++	+	\dashv	
			44						_			 	+	++	-	++		-	
	<u> </u>	. 15. 4		<u> </u>	-	,		_	_	1			_	$\downarrow \downarrow \downarrow$		 -			
-,		 		ļ								$oxed{oxed}$		$\perp \perp \downarrow$			丄		
																			, 1
	_]			- 1].									
				:				\neg									\top		
							1 1			_						1 1	_	\neg	· ·
		Special Instructions / Sp	ecify Criteria to	add on report by click	king on the drop-do	wn list below				SA	MPLE ÇO	IDITION A	AS REC	EIVED (lab use o	nly)			-
	g Water (DW) Samples¹ (client use)			ctronic COC only)											No		J		
	r from a Regulated DW System?						ice Pa	cks	☐ To	e Cubes	☐ Cust	ody seal ir	tact	Yes			No		ן נ
	ES	No prese	rvati	ves add	ded		Coolin	g Initia	ted [2									ļ
	uman consumption/ use?	- F		- -				IN	IITIAL CO	OLER TEMP	ERATURES	c	T	F	INAL COOL	ER TEMPE	RATURES		
	S NO																	11	
eleased by:	SHIPMENT RELEASE (client use)		Deschard has	INITIAL SHIPMEN		b use only)	Ti							CEPTIO	N (lab us	e only)			\equiv
ысавец ру:	Date:	Time:	Received by:		Date:		Time:		Receive	a by:	149	- Da	ite:	9	110		Timy	128	ا م
FER TO BACK I	PAGE FOR ALS LOCATIONS AND SAMPLING INFO	RMATION L		WHIT	 ΓΕ - LABORATORY (COPY YELLOV	V - CLIE	NT CO	PY						1 (-				ME FRONT