

VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

PAGE 1 of 3

Total Metals Lead (Pb)-Total CDWQG = Health Canada Guideline Limits updated CDWQG for Nitrate+Nitrite-N is the limit for nitrate only. If Turbidity guideline based on membrane filtration. For guid Summary Table of Guidelines for Canadian Drinking Water A blank entry designates no known limit. A shaded value in the Results column exceeds CDWQG N Approved by Edward Ngai Account Manager	delines on cor Quality	ventional treatm	ent and slow sand	0.005 N.D. = less than de	tection limit. arth filtration plea	16-OCT-1
CDWQG for Nitrate+Nitrite-N is the limit for nitrate only. If Turbidity guideline based on membrane filtration. For guid Summary Table of Guidelines for Canadian Drinking Water A blank entry designates no known limit. A shaded value in the Results column exceeds CDWQG M Approved by <u>Edward Ngai</u>	If present as N delines on cor r Quality	ventional treatm	ent and slow sand	N.D. = less than de t or diatomaceous e	tection limit. arth filtration plea	se see
Edward Ngai	-					

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com



VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

natina. wat

PAGE 2 of 3

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.000765		mg/L	0.005		16-OCT-1
CDWQG = Health Canada Guideline Limits updated	JUNE 2019					
 * CDWQG for Nitrate+Nitrite-N is the limit for nitrate only * Turbidity guideline based on membrane filtration. For Summary Table of Guidelines for Canadian Drinking Wa - A blank entry designates no known limit. - A shaded value in the Results column exceeds CDWQ 	guidelines on con iter Quality	ventional treatm	ent and slow sand	N.D. = less than de or diatomaceous e	tection limit. arth filtration plea	ase see
Approved by Edward Ngai Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com

L2363041 CONTD

PAGE 3 of 3

Guidelines & Objectives

Health Canada MAC Health Related Criteria Limits

Nitrate/Nitrite-N*	Criteria limit is 10 mg/L (1.0 mg/L if present as all Nitrite-N). High concentrations may contribute to blue baby syndrome in infants.
Lead*	A cumulative body poison, uncommon in naturally occurring hard waters.
Fluoride*	Present in fluoridated water supplies at 0.8 mg/L to reduce dental caries. Elevated levels causes fluorosis (mottling of teeth).
Total Coliforms*	Criteria is 0 CFU/100mL. Adverse health effects.
E. Coli*	Criteria is 0 CFU/100 mL. Certain E. Coli bacteria can be life threatening.
Manganese*	Criteria limit is 0.12 mg/L. Possible neurological effects in infants.

*Health Canada Canadian Drinking Water Quality Guidelines (MAC limit)

Aesthetic Objective Conce	entration Levels
Alkalinity	Acid neutralizing capacity. Usually a measure of carbonate and bicarbonates and calculated and reported as calcium carbonate.
Balance	Quality control parameter ratioing cations to anions
Bicarbonate	See Alkalinity. Report as the anion HCO3-1
Carbonate	See Alkalinity. Reported at the anion CO3-2
Calcium	See Hardness. Common major cation of water chemistry.
Chloride	Common major anion of water chemistry.
Conductance	Physical test measuring water salinity (dissolved ions or solids)
Hardness	Classical measure or capacity of water to precipitate soap (chiefly calcium and magnesium ions). Causes scaling tendency in water if carbonates/bicarbonates are present (if >200 mg/L). For drinking water purposes waters with results <200 mg/L are considered acceptable, results >200 mg/L are considered poor but can be tolerated. Results >500 mg/L are unacceptable.
Hydroxide	See alkalinity
Magnesium	See hardness. Common major cation of water chemistry. Elevated levels (>125 mg/L) may exert a cathartic or diuretic action.
рН	Measure of water acidity/alkalinity. Normal range is 7.0-8.5.
Potassium	Common major cation of water chemistry.
Sodium	Common major cation of water chemistry. Measure of salinity (saltiness).
Sulphate	Common major anion of water chemistry. Elevated levels may exert a cathartic or diuretic action.
Total Dissolved Solids	A measure of water salinity.
Iron Heterotrophic	Causes staining to laundry and porcelain and astringent taste. Oxidizes to red-brown precipitate on exposure to air.
Plate Count	Criteria is 500 cfu/mL Measure of heterotrophic bacteria present.

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory. UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Chain of Custody (COC) / Analytical , Request Form

Canada Toll Free: 1 800 668 9878



COC Number: 17 - 762164

Page of

	www.alguiobal.com																		
Report To	Contact and company name below will appear on the final report Report Format / Distribution					Select Service Lever Below - Contact your AM to confirm all E&P TATs (surcharges may apply)													
Company:	Varcouver School	Board	Select Report Format:					Regular [R] 🔀 Standard TAT if received by 3 pm - business days - no surcharges apply											
Contact:	Stephen Thomas		Quality Control (QC) Report with Report				1 Business day [E - 100%]												
Phone:	604 713-5637		Compare Res	ults to Criteria on Report -	provide details below it	box checked	TISON T	3 day [P	3-25%]		ERG	Same D	ay, Weel	cend or	Statutor	y holiday	/ [E2 -200)% ΄	_
	Company address below will appear on the fina	al report	Select Distribution: 📈 EMAIL MAIL 🗌 FAX				is B	2 day (P	2-50%]		6	(Laborat	tory ope	ning fe	es may a	ppty)]	•		L
Street:	1549 Clark D1.	· · · · · · · · · · · · · · · · · · ·	Email 1 or Fax	ssthomas	@vsb.b	c,ca		Date and T	ime Require	d for all E	&P TATS:				dd-mmr	n-yy bh:n	nm		
City/Province:	Vancouver B.C. Email 2 r/emay Cusb. bc.ca						For test	ts that can no	t be performed	according	to the ser	rice level sel	ected, you v	vil) be coni	tacted.				
Postal Code:	· · · · · · · · · · · · · · · · · · ·	Email 3										Analy	sis Requ	lest					
Invoice To	Same as Report To 🛛 🖉 YES [Invoice Distribution					Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below								r ·	(o	2	
	Copy of Invoice with Report YES	NÓ	Select Invoice Distribution: 🛛 EMAIL 🗌 MAIL 🗌 FAX			ONTAINERS												ions	
Company:		•		sethomas			ΞΨ										$\neg \epsilon$	0	. Do
Contact:			Email 2 r/c	enay ev:	sb, bc, c	i a]¥											Ι	Inst
	Project Information	·		Oil and Gas Require	d Fields (client us	ie)	<u> </u>				-					·		z	cial
ALS Account # /		<u> </u>	AFE/Cost Center:		PO#		_ ₹										7	δI	Spe
Job#: Lor	-d Selkirk Amer	Elementary	Major/Minor Code:		Routing Code:		្ទរប											~	266
PO/AFE:			Requisitioner:				-16												D2
LSD:			Location:																Ş
ALS Lab Wo	rk Order # (lab use only):		ALS Contact:		Sampler: Robin Lenary		NUMBER	0										Δb	SUSPECTED HAZARD (see Special Instructions)
	Sample Identification	e and for Constitution	1 Date		Len	$\frac{n}{1}$	-12											a	Ľ,
ALS Sample # (lab use only)	(This description will			(dd-mmm-yy)	(bh:mm)	Sample Type	IŞ						1		:			3	USP
						1.6		┢──┼──					_	+		+	<u> </u>		03
	Rm. 115 DF	· · · ·		09-10-19	12:57pm	water				_	_			<u> </u>		· +	-+		
	Rm. 105 DF			09-10-19	1:01 pm	water	_				_			╞					
					· ·														
		,						· ·											
			-								-		<u> </u>		-	+-+			
							-									+	-+-		
			<u>.</u>	+		ł	<u> </u>	 	+-+							╉┈┾			
·													_			┹╼╾┼			
		· · · · · · · · · · · · · · · · · · ·						[+		-			-					
								<u>i </u>											
	· · · · · · · · · · · · · · · · · · ·												_						
Drinking Water (DW) Samples ¹ (client use) Special Instructions / Specify Criteria to add on report by clicking on the drop-down (electronic COC only)						wn list below	SAMPLE CONDITION AS RECEIVED (lab												
Are samples taken from a Regulated DW System?				ctronic COC only)				Frozen SIF Obse									No]
								Ice Packs 🚺 Ice Cubes 🔲 Custody seal intact Yes 🔲							No]		
	res 🔲 NO	No prese	cup the	as ado	lo d		Cooli	Cooling Initiated											
	numan consumption/ use?			es un				INHT 1	AL COOLER	TEMPER	ATURES	с <u> </u>		F	INAL COO	ER TEMPE	RATURES	$\frac{1}{2}$	
Y' []	(ES ND		·														<u> </u>	7	
Released by:	SHIPMENT RELEASE (client use) Date:	Time;	Received by:	INITIAL SHIPMEN	T RECEPTION (Ia Date:	b use only)	Time:		ceived by:		FINA		ENT REC ate:			e only)			
Noteased by:	Cate.	l inne.	neceives by.						ceiveu by.	14	R.		alç.	10	19		+ ime	7.0	50
REFER TO BACK	PAGE FOR ALS LOCATIONS AND SAMPLING IN	FORMATION	ļ.	WHI	L. TE - LABORATORY	COPY YELLO	W - CLI	ENT COPY		14				<u> </u>			<u>_</u> _	JUNE 201	10 PRONT

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.