

### VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

# Date:16-OCT-19PO No.:1517879WO No.:L2362044LSD:Project Ref:LORD TENNYSON ELEMENTARYSample ID:CORR 108 RM.107 SSDFSampled By:ROBIN LEMAYDate Collected:08-OCT-19Lab Sample ID:L2362044-1Matrix:WATER

PAGE 1 of 4

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
<b>otal Metals</b> Lead (Pb)-Total	0.000561		mg/L	0.005		11-OCT-
DWQG = Health Canada Guideline Limits updated	JUNE 2019					
CDWQG for Nitrate+Nitrite-N is the limit for nitrate onl urbidity guideline based on membrane filtration. For immary Table of Guidelines for Canadian Drinking Wa blank entry designates no known limit.	y. If present as N guidelines on cor ater Quality	ventional treatm	ent and slow sand	N.D. = less than de or diatomaceous e	tection limit. arth filtration ple	ase see
shaded value in the Results column exceeds CDWC	G MAC and/ or A	esthetic Objecti	ve.			
antin						
Edward Ngai Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com



### VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

# Date:16-OCT-19PO No.:1517879WO No.:L2362044LSD:Project Ref:LORD TENNYSON ELEMENTARYSample ID:PLAY AREA 011 DFSampled By:ROBIN LEMAYDate Collected:08-OCT-19Lab Sample ID:L2362044-2Matrix:WATER

PAGE 2 of 4

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.000443		mg/L	0.005		12-OCT-
DWQG = Health Canada Guideline Limits updated	JUNE 2019					
CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Furbidity guideline based on membrane filtration. For ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWQ	guidelines on cor iter Quality	ventional treatm	ent and slow sand	N.D. = less than de d or diatomaceous e	tection limit. arth filtration plea	se see
Approved by						
Edward Ngai Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com



### VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

# Date:16-OCT-19PO No.:1517879WO No.:L2362044LSD:Project Ref:LORD TENNYSON ELEMENTARYSample ID:CORR 001 RM.003 SSDFSampled By:ROBIN LEMAYDate Collected:08-OCT-19Lab Sample ID:L2362044-3Matrix:WATER

PAGE 3 of 4

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.00263		mg/L	0.005		12-OCT-
DWQG = Health Canada Guideline Limits updated	JUNE 2019					
CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Turbidity guideline based on membrane filtration. For ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWC	guidelines on con ater Quality	ventional treatm	ent and slow sand	N.D. = less than de or diatomaceous e	tection limit. arth filtration plea	se see
Approved by Edward Ngai Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com

L2362044 CONTD ....

PAGE 4 of 4

### **Guidelines & Objectives**

### Health Canada MAC Health Related Criteria Limits

Nitrate/Nitrite-N*	Criteria limit is 10 mg/L (1.0 mg/L if present as all Nitrite-N). High concentrations may contribute to blue baby syndrome in infants.
Lead*	A cumulative body poison, uncommon in naturally occurring hard waters.
Fluoride*	Present in fluoridated water supplies at 0.8 mg/L to reduce dental caries. Elevated levels causes fluorosis (mottling of teeth).
Total Coliforms*	Criteria is 0 CFU/100mL. Adverse health effects.
E. Coli*	Criteria is 0 CFU/100 mL. Certain E. Coli bacteria can be life threatening.
Manganese*	Criteria limit is 0.12 mg/L. Possible neurological effects in infants.

\*Health Canada Canadian Drinking Water Quality Guidelines (MAC limit)

Aesthetic Objective Conce	entration Levels
Alkalinity	Acid neutralizing capacity. Usually a measure of carbonate and bicarbonates and calculated and reported as calcium carbonate.
Balance	Quality control parameter ratioing cations to anions
Bicarbonate	See Alkalinity. Report as the anion HCO3-1
Carbonate	See Alkalinity. Reported at the anion CO3-2
Calcium	See Hardness. Common major cation of water chemistry.
Chloride	Common major anion of water chemistry.
Conductance	Physical test measuring water salinity (dissolved ions or solids)
Hardness	Classical measure or capacity of water to precipitate soap (chiefly calcium and magnesium ions). Causes scaling tendency in water if carbonates/bicarbonates are present (if >200 mg/L). For drinking water purposes waters with results <200 mg/L are considered acceptable, results >200 mg/L are considered poor but can be tolerated. Results >500 mg/L are unacceptable.
Hydroxide	See alkalinity
Magnesium	See hardness. Common major cation of water chemistry. Elevated levels (>125 mg/L) may exert a cathartic or diuretic action.
рН	Measure of water acidity/alkalinity. Normal range is 7.0-8.5.
Potassium	Common major cation of water chemistry.
Sodium	Common major cation of water chemistry. Measure of salinity (saltiness).
Sulphate	Common major anion of water chemistry. Elevated levels may exert a cathartic or diuretic action.
Total Dissolved Solids	A measure of water salinity.
Iron Heterotrophic	Causes staining to laundry and porcelain and astringent taste. Oxidizes to red-brown precipitate on exposure to air.
Plate Count	Criteria is 500 cfu/mL Measure of heterotrophic bacteria present.

### **GLOSSARY OF REPORT TERMS**

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory. UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Chain of Custody (COC) / Analytical **Request Form** 



COC Number: 17 - 756187 Page of

SUSPECTED HAZARD (see Special Instructions)

Δ

140

JUNE 2018 FRONT

<u> </u>	www.alsglobal.com	Cana	ada Tol	il Free: 1 800 6	68 9878							,							
Report To	Contact and company name be	low will appear on the final report	<u></u>	Report Format / Distribution				T -	Select	Service I	evel Belo	w - Cont	act you	IF AM to	confirm :	II E&P TA	ATs (sur	charges	may apply)
Company:	Vancouves Scho	o Board		Select Report Format: PDF EXCEL EDD (DIGITAL)					Regular [R] Standard TAT if received by 3 pm - business days - no surcharges apply										
Contact:	Stephen Thom			Quality Control (QC) Report with Report YES NO					4 day [l	P4-20%]		HĈY	1 Bu	siness	day [E -	100%]			
Phone:					sults to Criteria on Report			Same Day, Weekend or Statutory holiday [E2 -2009								2 -200%			
Company address below will appear on the final report				Select Distribution: 🗹 EMAIL   MAIL   FAX					2 day [l	<b>?2-50%]</b>		Ű			opening				
Street:	1549 /lack	Dr.		Émail 1 or Fax	sethomas	Bersb.	beica	Date and Time Required for all E&P TATs: dd-mmm-yy hh:mm											
City/Province:	Vancouver B.	<u>.</u> C.		Email 2 🖌	enaye v	sb. bc.	ca	For tests that can not be performed according to the service level selected, you will be contacted.											
Postal Code:				Email 3				Analysis Request											
Invoice To	Same as Report To	YES NO			Invoice Dis			Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below											
	Copy of Invoice with Report			Select Invoice Distribution: 🔀 EMAIL 🗌 MAIL 🛄 FAX				]%			· · ·								HOLD
Company:				Email 1 or Fax	Esthona	sevsb.	bc.ca	ΞΨ.											10
Contact:				Email 2 🗸 🇸	Temaye v	55.60.	ca .	12		1									<b>T</b>
	Project Information	pn _			Oll and Gas Required		e)	ONTAINER					· - ·						Ż
ALS Account #				AFE/Cost Center:		PO#		15		ľ									N
Job#: Lor	d Tennyson Elé	mentary_		Major/Minor Code:		Routing Code:		Įŏ											
PO/AFE:	• •	/		Requisitioner:	·			Ь	•										Ш
LSD:				Location:					0				-				-		
ALS Lab Wo	rk Order # (lab use only):			ALS Contact: Sampler: Kob's			NUMBER	e a										SAMPLES	
ALS Sample #	Sample Ide	ntification and/or Coordina	tes		Date	Time	Sample Type	13	1										<b>A</b>
(lab use only)	(This description will appear on the report)				(dd-mmm-yy)	(hb:mm)	1 i'	Ż											S S
	Corr 108 1	CM. 107	Ş	SDF	08-10-19	7:31an	water					-							-
1	Play Area OI	I E	>F		08-10-19	7:47 an	mater												
	Corr 001 K		F		08-10-19	7:52an	water	•							·			-	
1				· · · •	-						-								<u> </u>
					•			+				+				+ +			<u> </u>
	· · · · · · · · · · · · · · · · · · ·				· ·								+			+			ł
<u>-</u>			<u>.</u>			ļ				_						+			ł
						· · ·						_				+-+			<u> </u>
	· · · · · · · · · · · · · · · · · · ·	·		1								_				<u> </u>			<u> </u>
ļ		<u>.</u> .																	
	e e e e	an an the state of	_																
Drinkir	a Water (DW) Semalar (client us	Special Instru	ctions /	Specify Criteria to add on report by clicking on the drop-down list below				SAMPLE CONDITION AS RECEIVED (lab use only)								-			
Drinking Water (DW) Samples' (client use) Are samples taken from a Regulated DW System?				(el	ectronic COC only)		- <u></u> ;	Froze			_	SIF Observations Yes							
	/ES NO		, <sup>-</sup>		• · · · ·	1. 1					ubes [	Cust	ody sea	al intact	Yes	;	i	No	
	•	No al	0-0	rsati	ves a	de.d		Cooli	ng Initiate										
Are samples for human consumption/use? No prese				ersatives added				INITIAL COOLER TEMP				ATURES	Ċ			FINAL CO	JOLER T	EMPERATI	URES °C
SHIPMENT RELEASE (client use)				INITIAL SHIPMENT RECEPTION (lab use only)										L				<u> </u>	
Released by:	Date:		lime:	Received by:	INITIAL SHIPMEN	T RECEPTION (la Date:	o use only)	Time:	R	eceived b	V: -		L SHIF	Date:	RECEPT			iy)	Time
Í											΄ Ι	AP			1	DIS	, t		Time

WHITE - LABORATORY COPY

YELLOW - CLIENT COPY

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION