

Date:03-OCT-19PO No.:1517879WO No.:L2355216LSD:Project Ref:CHIEF MAQUINNA ELEMENTARYSample ID:COR 126 DFSampled By:Robin LemayDate Collected:26-SEP-19Lab Sample ID:L2355216-1Matrix:Water

alei

PAGE 1 of 5

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.000609		mg/L	0.005		30-SEP-1
DWQG = Health Canada Guideline Limits updated CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Turbidity guideline based on membrane filtration. For g ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWQ	guidelines on con ter Quality	ventional treatm	ent and slow sand	N.D. = less than de or diatomaceous e	tection limit. arth filtration plea	ase see
Approved by Edward Ngai Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company



Date:03-OCT-19PO No.:1517879WO No.:L2355216LSD:Project Ref:CHIEF MAQUINNA ELEMENTARYSample ID:COR 001 DFSampled By:Robin LemayDate Collected:26-SEP-19Lab Sample ID:L2355216-2Matrix:Water

PAGE 2 of 5

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.00201		mg/L	0.005		30-SEP
DWQG = Health Canada Guideline Limits updated	JUNE 2019					
CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Turbidity guideline based on membrane filtration. For ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWC	guidelines on cor ater Quality	ventional treatm	ent and slow sand	N.D. = less than de l or diatomaceous e	tection limit. arth filtration plea	ase see
Approved by Edward Ngai Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company



Date:03-OCT-19PO No.:1517879WO No.:L2355216LSD:Project Ref:CHIEF MAQUINNA ELEMENTARYSample ID:COR 116 DFSampled By:Robin LemayDate Collected:26-SEP-19Lab Sample ID:L2355216-3Matrix:Water

PAGE 3 of 5

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.000536		mg/L	0.005		30-SEP-
DWQG = Health Canada Guideline Limits updated CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Turbidity guideline based on membrane filtration. For ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit.	guidelines on cor	itrate then the lin	nit is 10mg/L < or ent and slow sand	N.D. = less than de or diatomaceous e	tection limit. arth filtration plea	se see
A shaded value in the Results column exceeds CDWC	G MAC and/ or A	esthetic Objecti	ve.			
Approved by Edward Ngai Account Manager	 					

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company



Date:03-OCT-19PO No.:1517879WO No.:L2355216LSD:Project Ref:CHIEF MAQUINNA ELEMENTARYSample ID:COR 100 RM 104 DFSampled By:Robin LemayDate Collected:26-SEP-19Lab Sample ID:L2355216-4Matrix:Water

PAGE 4 of 5

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.000650		mg/L	0.005		30-SEP-'
DWQG = Health Canada Guideline Limits updated	JUNE 2019					
CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Furbidity guideline based on membrane filtration. For Immary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWC	guidelines on con ater Quality	ventional treatm	ent and slow sand	N.D. = less than det or diatomaceous e	tection limit. arth filtration plea	se see
Catin						
Approved by Edward Ngai Account Manager	 					

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

L2355216 CONTD ....

# PAGE 5 of 5

# **Guidelines & Objectives**

#### Health Canada MAC Health Related Criteria Limits

Nitrate/Nitrite-N*	Criteria limit is 10 mg/L (1.0 mg/L if present as all Nitrite-N). High concentrations may contribute to blue baby syndrome in infants.
Lead*	A cumulative body poison, uncommon in naturally occurring hard waters.
Fluoride*	Present in fluoridated water supplies at 0.8 mg/L to reduce dental caries. Elevated levels causes fluorosis (mottling of teeth).
Total Coliforms*	Criteria is 0 CFU/100mL. Adverse health effects.
E. Coli*	Criteria is 0 CFU/100 mL. Certain E. Coli bacteria can be life threatening.
Manganese*	Criteria limit is 0.12 mg/L. Possible neurological effects in infants.

\*Health Canada Canadian Drinking Water Quality Guidelines (MAC limit)

Aesthetic Objective Conce	entration Levels
Alkalinity	Acid neutralizing capacity. Usually a measure of carbonate and bicarbonates and calculated and reported as calcium carbonate.
Balance	Quality control parameter ratioing cations to anions
Bicarbonate	See Alkalinity. Report as the anion HCO3-1
Carbonate	See Alkalinity. Reported at the anion CO3-2
Calcium	See Hardness. Common major cation of water chemistry.
Chloride	Common major anion of water chemistry.
Conductance	Physical test measuring water salinity (dissolved ions or solids)
Hardness	Classical measure or capacity of water to precipitate soap (chiefly calcium and magnesium ions). Causes scaling tendency in water if carbonates/bicarbonates are present (if >200 mg/L). For drinking water purposes waters with results <200 mg/L are considered acceptable, results >200 mg/L are considered poor but can be tolerated. Results >500 mg/L are unacceptable.
Hydroxide	See alkalinity
Magnesium	See hardness. Common major cation of water chemistry. Elevated levels (>125 mg/L) may exert a cathartic or diuretic action.
рН	Measure of water acidity/alkalinity. Normal range is 7.0-8.5.
Potassium	Common major cation of water chemistry.
Sodium	Common major cation of water chemistry. Measure of salinity (saltiness).
Sulphate	Common major anion of water chemistry. Elevated levels may exert a cathartic or diuretic action.
Total Dissolved Solids	A measure of water salinity.
Iron Heterotrophic	Causes staining to laundry and porcelain and astringent taste. Oxidizes to red-brown precipitate on exposure to air.
Plate Count	Criteria is 500 cfu/mL Measure of heterotrophic bacteria present.

### **GLOSSARY OF REPORT TERMS**

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory. UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

	•				$c^{\cdot} = \cdot$		·	<b>.</b>		• · ·											
		Chain of Cus Re	tody (COC) / equest Form									COC N	lumber:	17 -	7	621	L49				
(ALS)	Environmental			<sup>.</sup>	.	_2355216-	COÉC	2					P	age	Q	of					
	www.alsolobal.com	oll Free: 1 800 6	Free: 1 800 668 9878																		
Report To	Contact and company name below will appe	ar on the final report	1	Report Forma	L / Distribution		Select Service Level Below - Contact your AM to confirm all E&P TATs (surcharges may apply)														
Company:		Board	Select Report Format:					Regular [R] Standard TAT If received by 3 pm - business days - no surcharges apply												<u> </u>	
Contact:	Stephen Thomas	1. Xur v																<u> </u>			
Phone:	604-713-5637		Compare Results to Criteria on Report - provide details below if box checked				Image: State										المع				
	Company address below will appear on the fina	l report	Select Distributi		MAIL [_]								Same Day, Weekend or Statutory holiday [E2 -200% (Laboratory opening fees may apply) ]								
Street:		549	Email 1 or Fax		-s Qusb						for all E&P TATa: dd-mmm-yy hh:mm										
City/Province:	Vancouver B.C			enay @									evel select	ed. vou wi	li be cont		<b>,,</b>				
Postal Code:	VANCODVEN D.C	•	Email 3	enary con	50 DC.C		For tests that can not be performed according to the service level selected, you will be contacted. Analysis Request														
Invoice To	Same as Report To	NO		Invoice Di	stribution		Indicate Filtered (F) Preserved (P) or Filtered and Preserved (F/P) helow												<u> </u>		
	Copy of Invoice with Report YES		Select Invoice D			FAX	ဖျ									<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	$\top$	_	НОГР	<u>ع</u>	
Company:			Email 1 or Fax				1861			$\left  \right $							┽──┾	_	1	윍	
Contact:	· · · · · · · · · · · · · · · · · · ·			tenay@			ĪĪ												Ϋ́	Ę	
Contact.	Project Information			Oil and Gas Require			IΣI				. I .								-		
ALS Account #			AFE/Cost Center:	on and ous nequile	PO#		ΞI				·		·	- -  ·	•••				NO	1 Se	
Job #:	hiet Magguina	El atral	/ Majer/Minor Code: Routing Code:				CONTAINERS												0	5	
PO/AFE:	MILT Magguina	Elementary	Reguisitioner:										ľ						S	ŝ	
LSD:			Location:				Ъ	1											Щ	AR	
100.								N.											7	¥	
ALS Lab Wo	rk Order # (lab use only):		ALS Contact: Sampler Pob. h Lenay			NUMBER	3											AMPI	SUSPECTED HAZARD (see Special Instructions)		
ALS Sample #	Sample Identification			Date	Time	Sample Type	151	シー											ج ا	SPE	
(lab use only)	(This description will a	appear on the report)		(dd-mmm-yy)	(hh:mm)	oumpie Type	Z												Ŝ	ŝ	
	Car 126 DF	-		26-09-19	2.00 pm	wate:															
	6-001 DF			26-09-19	2:12,0m	watel													-		
	605 116 DF	•		26-09-19	2-20pm				1.									_			
		24 ISF		26-09-19	2:25	water	+ +	<u> </u>						+ +			+			<u> </u>	
	COLL TOO NA TO			200111	- Lop	waver	+						_	┼╸・┟		_	+	<u> </u>			
	······································										.						+			<b> </b>	
																				L	
						L															
																	T		_		
	· · · · · · · · · · · · · · · · · · ·	· ·			1										_		+ +				
	······································	·····	· · · · · ·			·				-	· · · · ·						++	-+-		-	
				+				_	$\rightarrow$	-		_					++-	+		<b>—</b>	
							┥					_		$ \downarrow \downarrow$			<u></u>			<b> </b>	
Drinking Water (DW) Samples <sup>1</sup> (client use) Special Instructions / 5			add on report by clic actronic COC only)	king on the drop-do	wn list below	Ļ			SA	AMPLE CONDITION AS RECEIVED (lab use only)									_		
	n from a Regulated DW System?		(86	ctronic COC only)			Frozen						ervations	-	Yes			No	-		
				,	11	د	Ice Pac		1000	ubes	L Cu	istody	seal inta	ict	Yes			No	L		
	numan consumption/ use?	No	011-10	crative	adde	d	Cooling	g Initiated													
		1.0	FILSE	rvative	J 4				AL COOLE	ER TEMP		SC		<u> </u>	F	INAL COOL	ER TEMPE	RATURES		-	
<u> </u>	ES   NO SHIPMENT RELEASE (client use)		• •														ل ج			1	
Released by:	Date:	Time:	INITIAL SHIPMENT RECEPTION (lab use only) Received by: Date:				FINAL SHIPMENT RECEPTION (lab use only)           Time:         Received by:         Date:         0         T							, 							
											191	Ł		" G	12	-6			でいち	21	
REFER TO BACK	PAGE FOR ALS LOCATIONS AND SAMPLING IN	ORMATION		WHI	TE - LABORATORY	COPY YELLO	V - CLIEI	NT COPY			<u> </u>	-							JUNE 2	2018 FROM	

.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.