

CERTIFICATE OF ANALYSIS (GUIDELINE EVALUATION)

: VA22A4601 Page **Work Order** : 1 of 3

Client : Vancouver School Board Laboratory : Vancouver - Environmental

: Stephen Thomas **Account Manager** : Tasnia Tarannum Address Address : 1549 Clark Drive

: 8081 Lougheed Highway

Vancouver BC Canada V5L 3L4 Burnaby, British Columbia Canada V5A 1W9

Telephone Telephone : +1 604 253 4188 Project : Shannon Park Annex **Date Samples Received** : 04-Mar-2022 15:00

PO **Date Analysis Commenced** : 09-Mar-2022

C-O-C number Issue Date : 20-985900 : 14-Mar-2022 10:50

Sampler : RL Site Quote number · ____ No. of samples received : 3

No. of samples analysed : 3 This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Guideline Comparison

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

Contact

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories Position Laboratory Department

Kevin Duarte Supervisor - Metals ICP Instrumentation Metals, Burnaby, British Columbia Page : 2 of 3 Work Order : VA22A4601

Client : Vancouver School Board
Project : Shannon Park Annex



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guidelines are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.

Key: LOR: Limit of Reporting (detection limit).

Unit	Description
mg/L	milligrams per litre

>: greater than.

<: less than.

Red shading is applied where the result is greater than the Guideline Upper Limit or the result is lower than the Guideline Lower Limit.

For drinking water samples, Red shading is applied where the result for E.coli, fecal or total coliforms is greater than or equal to the Guideline Upper Limit.

Analytical Results Evaluation

	Client sample ID	 	 	 	
Matrix:					
	Sampling date/time	 	 	 	
	Sub-Matrix		 	 	
Analyte	CAS Number Unit	 	 	 	
	-				

Please refer to the General Comments section for an explanation of any qualifiers detected.

 Page
 : 3 of 3

 Work Order
 : VA22A4601

Client : Vancouver School Board
Project : Shannon Park Annex



No Breaches Found

lead, total 7439-92-1 mg/L



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : VA22A4601 Page

Client : Vancouver School Board Laboratory : Vancouver - Environmental

Contact : Stephen Thomas Account Manager : Tasnia Tarannum

Address : 1549 Clark Drive Address : 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

: 1 of 5

Telephone : --- Telephone : +1 604 253 4188

 Project
 : Shannon Park Annex
 Date Samples Received
 : 04-Mar-2022 15:00

 PO
 : --- Issue Date
 : 14-Mar-2022 10:50

C-O-C number : 20-985900

Vancouver BC Canada V5L 3L4

 Sampler
 : RL

 Site
 : ---

 Quote number
 : ---

 No. of samples received
 : 3

 No. of samples analysed
 : 3

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers: Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

No Analysis Holding Time Outliers exist.

Outliers: Frequency of Quality Control Samples ■ No Quality Control Sample Frequency Outliers occur.		

Page : 3 of 5 Work Order : VA22A4601

Client : Vancouver School Board
Project : Shannon Park Annex



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix. Water						valuation. * -	Holding time excee	tuanice,	– vviti iii i	Holding Hill
Analyte Group	Method	Sampling Date	Ext	raction / Pr	eparation					
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding Times		Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Bottle Filler R,. Staff Shannon Park	E420	04-Mar-2022					10-Mar-2022	180	6 days	✓
								days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
D.F Rm. 101 Shannon Park	E420	04-Mar-2022					10-Mar-2022	180	6 days	✓
								days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
D.F Rm. 104 Shannon Park	E420	04-Mar-2022					10-Mar-2022	180	6 days	✓
								days		

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).

Page : 4 of 5 Work Order : VA22A4601

Client : Vancouver School Board
Project : Shannon Park Annex



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water	Evaluation: ★ = QC frequency outside specification; ✓ = QC frequency within spec													
Quality Control Sample Type		·	С	ount	Frequency (%)									
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation							
Laboratory Duplicates (DUP)														
Total Metals in Water by CRC ICPMS	E420	428235	1	7	14.2	5.0	✓							
Laboratory Control Samples (LCS)														
Total Metals in Water by CRC ICPMS	E420	428235	1	7	14.2	5.0	✓							
Method Blanks (MB)														
Total Metals in Water by CRC ICPMS	E420	428235	1	7	14.2	5.0	✓							
Matrix Spikes (MS)														
Total Metals in Water by CRC ICPMS	E420	428235	1	7	14.2	5.0	1							

Page : 5 of 5 Work Order : VA22A4601

Client : Vancouver School Board
Project : Shannon Park Annex



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B	Water samples are digested with nitric and hydrochloric acids, and analyzed by
			(mod)	Collision/Reaction Cell ICPMS.
	Vancouver -			
	Environmental			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered
				by this method.



QUALITY CONTROL REPORT

Work Order : VA22A4601

Page : 1 of 3

Client : Vancouver School Board

: Stephen Thomas

: 1549 Clark Drive

Vancouver BC Canada V5L 3L4

Telephone : ---

Contact

Address

Project : Shannon Park Annex

PO :---

C-O-C number : 20-985900

Sampler : RL
Site :---Quote number :--No. of samples received : 3
No. of samples analysed : 3

Laboratory : Vancouver - Environmental Account Manager : Tasnia Tarannum

Address 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

Telephone :+1 604 253 4188

Date Samples Received : 04-Mar-2022 15:00

Date Analysis Commenced : 09-Mar-2022

Issue Date : 14-Mar-2022 10:50

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits
- Reference Material (RM) Report; Recovery and Acceptance Limits
- Method Blank (MB) Report; Recovery and Acceptance Limits
- Laboratory Control Sample (LCS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories Position Laboratory Department

Kevin Duarte Supervisor - Metals ICP Instrumentation Metals, Burnaby, British Columbia

Page : 2 of 3
Work Order : VA22A4601

Client : Vancouver School Board
Project : Shannon Park Annex



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Services number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percentage Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test specific).

Sub-Matrix: Water						Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier		
Total Metals (QC Lot: 428235)													
KS2200710-006	Anonymous	lead, total	7439-92-1	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR			

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 428235)					
lead, total	7439-92-1 E420	0.00005	mg/L	<0.000050	

Page : 3 of 3
Work Order : VA22A4601

Client : Vancouver School Board
Project : Shannon Park Annex



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water	Laboratory Control Sample (LCS) Report								
	Spike	Recovery (%)	Recovery	Limits (%)					
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 428235)									
lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	102	80.0	120	

Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water		Matrix Spike (MS) Report									
						Spike Recovery (%) Recovery Limits (%)					
Laboratory sample	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier	
Total Metals (QC	Lot: 428235)										
VA22A4524-005	Anonymous	lead, total	7439-92-1	E420	0.0360 mg/L	0.04 mg/L	90.1	70.0	130		

Chain of Custody (COC) / Analytical Request Form

ALS

www.alsglobal.com

Canada Toll Free: 1 800 668 9878

COC Number: 20 - 985900

age

of

· · · · · · · · · · · · · · · · · · ·																	
Report To	Contact and company name below will appear			Reports / R					urnaround Tir							160 8	is 10.000
Company:		merd	Select Report Fo	- 1	Excel Ex		P Rou	tine [R] if rec	eived by 3pm M	-F - no surcha	irges apply				e a	3700	
Contact:	Stephen Thomas			Reports with COA		_	4 day [P4] if received by 3pm M-F - 20% rush surcharge minimum						AFEI	X ALS BAI	AL AL	ADEI U	eac *
Phone:	604 713 5637	·	Compare the order of the part of the second second in contraction				3 day [P3] if received by 3pm M-F - 25% rush surcharge minimum 2 day [P2] If received by 3pm M-F - 50% rush surcharge minimum						AFFI		use only		-RE
<u> </u>	Company address below will appear on the final	report	I Select Distribution: IFI DYALL I MALL LI FAX				_		ived by 3pm M-F		_						n.adik
Street:	1549 Clark Dr.		Email 1 or Fax	ssthames	@ 455	be, ca	Sam	ne day [E2] if	received by 10am	M-S - 200%	rush surcharge.	dditional fees		* **			
City/Province:	vancouver B.C.		Email 2 Memory @ vsb. bc. ca				☐ may	apply torush	requests on week	kends, statutor	holidays and no	r-routine tests			i e da	rik (Elle	eddin.
Postal Code:	V5L 3L4		Email 3 (carce 1 @ 130 bc. ca				C	ate and Timi	e Required for a	II E&P TATs:	1	Đ		y hh:mm			
Invoice To	Same as Report To] NO		Invoice Re	cipients				For all tests	with rush TAT	s requested, plea	se contact you	r AM to cont	irm availabilit	у.		
	Copy of Invoice with Report	NO	Select Invoice Di	stribution: 🔲 🖽	AIL MAIL	FAX					Analysis	Request					
Company:			Email 1 or Fax				2		Indicate Filtere	d (F), Preserv	ed (P) or Filtere	and Preserve	ed (F/P) bel	OW W		9	ŝ
Contact:			Email 2	•		1 齿 [🖺	notes)	
	Project Information		Email 1 or Fax Email 2 Oil and Gas Required Fields (client use) AFE/Cost Center: Major/Minor Code: Routing Code: O O													₽	
ALS Account # /	Quote #:		AFE/Cost Center:		PO#		1₽1						.		2) E	ees)
Job #: 5	Shannon Park Ame	~	Major/Minor Code:		Routing Code:		181						1	1 1	2	. I #	
PO / AFE:													1		4	; ≹	I ₹ I
LSD:			Location:									- 1			Ž		₹
ALS Lab Work	k Order # (ALS use only):		ALS Contact:T,	Taranon	Sampler: 2	. Lenay	NUMBER	9							SAMDIES	ENDED	SUSPECTED HAZARD
≅ ALS Sample #	Sample Identification	and/or Coordinates		Date	Time	T	1 ፮	Y							3		ايق
(ALS use only)	(This description will a			(dd-mmm-yy)	(hh:mm)	Sample Type		_		-		1	1 1		ا ا		l ä l
to die	D.F. Rn. 104		Perk	04 03 22	8:41an	water											
GARS - MARKET - Characterist	DF Rm. 101				8:38an	water				_	Enviror			- l]		+	\vdash
	241 54 2 6	LIL CI	ion Park		8:46an	Vana World L					l Divis	ion	+	+	╁┈┤		
	Bottle Filler Rm. S	gari Inan	ion lark	010322	o. Iban	warter				-/	Work	ver Order o	_			+	\vdash
construction assesses							\vdash	-		-:-	Work of VA		ference	I		+-	igspace
THE STATE OF THE S						<u> </u>	\sqcup			į	- / 1/	- CA	460	1 4		╄	\sqcup
hi si Marini da Pira .											Mil Bu	-		1			
- 196		ar and a second		٠.										u=i1			
in the second													וושינו	II .T			\Box
4778					··· -	 	1					icejiy		I \cap	-	+	t - 1
		·			·	 	+					$T \times T$	6/ ///	<i>l H</i>	-+		+
5,000,000						 	+			Tele	hone	* 1 7 8 H 1/*	- 4	· :	-+	+	╁─┤
Service and Comment				ļ		ļ	├				ohone: +16	04 253 4186	3		\rightarrow		ļ
)s. 2005ah. s				<u></u>		l								اا			\bot
Drinkin	g Water (DW) Samples ¹ (client use)	Notes / Specify		evaluation by selecting	g from drop-down	below	\$ 19.60	44 Andre			ECEIPT DE						.30
	n from a Regulated DW System?		(E	xcel COC only)					NONE .					<u></u>		TIATED	1.45
1 .	S NO								ments identific				800000000000000000000000000000000000000	. 4040			.496.
~	1						Cooler		eals Intact: E.			Sample Cu				YES 🕅 🗌	N/A ^{sgr}
	uman consumption/ use?								SOULER TEMP	LIVATORES	□ 特別報酬	ALL	FINAL CO	CENTEMP	- CATUKES		. A.
Y YE	S NO		CENTRE TRANSPORTATION	INITIAL SHIPMENT	DECENTION (A)	E was anti-	J Arrest	13 1 197 1 130000000	344 344	FINA	CHIPMENT	DEAFOR	30 (41.0		No.	170	1000
Released by:	SHIPMENT RELEASE (client use) Date:	Time:	Received by:	INITIAL SHIPMEN	Date:	Lo use only)	Time.		eived by:	rinal	SHIPMENT Date:	RECEPTION	JN (ALS		ANNE Tin	160 je 14	est.
Noiseased by.	, Date.		Control by					100		"[4 8]"	bate.	S. S. S.	3.	/ 4	A 1111	`\$\partial \chi	~"·
REFER TO BACK	PAGE FOR ALS LOCATIONS AND SAMPLING INF	ORMATION			TE - LABORATORY	COPY YELLO	W - CLIE	NT COPY			مينين ا					ALKS	2020 FRONT

Failure to complete all portions of this form may delay analysis, Please fill in this form LEGIBLY, By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

Results Summary VA2	22A4601				
-					
Project	Shannon Park Annex				
Report To	Stephen Thomas, Vanc	Stephen Thomas, Vancouver School Board			
Date Received	04-Mar-2022 15:00				
Issue Date	14-Mar-2022 10:51				
Amendment	0				
Client Sample ID			D.F Rm. 104 Shannon Park	D.F Rm. 101 Shannon Park	Bottle Filler R,. Staff Shannon Park
Date Sampled			04-Mar-2022	04-Mar-2022	04-Mar-2022
Time Sampled			08:41	08:38	08:46
ALS Sample ID			VA22A4601-001	VA22A4601-002	VA22A4601-003
Analyte	Lowest Detection Limit	Units	Sub-Matrix: Water	Sub-Matrix: Water	Sub-Matrix: Water
Total Metals (Matrix: Water)					
lead, total	0.000050	mg/L	0.000392	0.000145	0.000665