

## VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

Date:19-SEP-19PO No.:1517879WO No.:L2345645LSD:Sin JAMES DOUGLAS ANNEXSample ID:RM 129 DFSampled By:Robin LemayDate Collected:11-SEP-19Lab Sample ID:L2345645-1Matrix:Water

PAGE 1 of 4

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyzo
Fotal Metals Lead (Pb)-Total	0.000311		mg/L	0.005		13-SEP
DWQG = Health Canada Guideline Limits updated CDWQG for Nitrate+Nitrite-N is the limit for nitrate only	JUNE 2019 7. If present as N	itrate then the lir	nit is 10mg/L < or	N.D. = less than de	tection limit.	
Turbidity guideline based on membrane filtration. For ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWQ	guidelines on cor Iter Quality	ventional treatm	ent and slow sand	t or diatomaceous e	arth filtration plea	ise see
Approved by Edward Ngai	_					
Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com



## VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

Date:19-SEP-19PO No.:1517879WO No.:L2345645LSD:Image: Simple State S

PAGE 2 of 4

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.000801		mg/L	0.005		13-SEP-
DWQG = Health Canada Guideline Limits updated	JUNE 2019					
CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Furbidity guideline based on membrane filtration. For ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWQ	guidelines on cor iter Quality	ventional treatm	ent and slow sand	N.D. = less than de d or diatomaceous e	tection limit. arth filtration plea	se see
Approved by Edward Ngai Account Manager						

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com



## VANCOUVER SCHOOL BOARD Maintenance and Construction 1549 Clark Drive Vancouver BC V5L 3L4 ATTN: Stephen Thomas

Date:19-SEP-19PO No.:1517879WO No.:L2345645LSD:Image: Simple State S

PAGE 3 of 4

Test Description	Result	Qualifier	Units of Measure	CDWQG MAC	Aesthetic Objective	Date Analyze
Total Metals Lead (Pb)-Total	0.00165		mg/L	0.005		13-SEP-
DWQG = Health Canada Guideline Limits updated CDWQG for Nitrate+Nitrite-N is the limit for nitrate only Turbidity guideline based on membrane filtration. For ummary Table of Guidelines for Canadian Drinking Wa A blank entry designates no known limit. A shaded value in the Results column exceeds CDWC	guidelines on cor iter Quality	ventional treatm	ent and slow sand	N.D. = less than de l or diatomaceous e	tection limit. arth filtration plea	se see
Approved by Edward Ngai Account Manager	 					

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

www.alsglobal.com

L2345645 CONTD ....

PAGE 4 of 4

# **Guidelines & Objectives**

#### Health Canada MAC Health Related Criteria Limits

Nitrate/Nitrite-N*	Criteria limit is 10 mg/L (1.0 mg/L if present as all Nitrite-N). High concentrations may contribute to blue baby syndrome in infants.
Lead*	A cumulative body poison, uncommon in naturally occurring hard waters.
Fluoride*	Present in fluoridated water supplies at 0.8 mg/L to reduce dental caries. Elevated levels causes fluorosis (mottling of teeth).
Total Coliforms*	Criteria is 0 CFU/100mL. Adverse health effects.
E. Coli*	Criteria is 0 CFU/100 mL. Certain E. Coli bacteria can be life threatening.
Manganese*	Criteria limit is 0.12 mg/L. Possible neurological effects in infants.

\*Health Canada Canadian Drinking Water Quality Guidelines (MAC limit)

Aesthetic Objective Conce	entration Levels
Alkalinity	Acid neutralizing capacity. Usually a measure of carbonate and bicarbonates and calculated and reported as calcium carbonate.
Balance	Quality control parameter ratioing cations to anions
Bicarbonate	See Alkalinity. Report as the anion HCO3-1
Carbonate	See Alkalinity. Reported at the anion CO3-2
Calcium	See Hardness. Common major cation of water chemistry.
Chloride	Common major anion of water chemistry.
Conductance	Physical test measuring water salinity (dissolved ions or solids)
Hardness	Classical measure or capacity of water to precipitate soap (chiefly calcium and magnesium ions). Causes scaling tendency in water if carbonates/bicarbonates are present (if >200 mg/L). For drinking water purposes waters with results <200 mg/L are considered acceptable, results >200 mg/L are considered poor but can be tolerated. Results >500 mg/L are unacceptable.
Hydroxide	See alkalinity
Magnesium	See hardness. Common major cation of water chemistry. Elevated levels (>125 mg/L) may exert a cathartic or diuretic action.
рН	Measure of water acidity/alkalinity. Normal range is 7.0-8.5.
Potassium	Common major cation of water chemistry.
Sodium	Common major cation of water chemistry. Measure of salinity (saltiness).
Sulphate	Common major anion of water chemistry. Elevated levels may exert a cathartic or diuretic action.
Total Dissolved Solids	A measure of water salinity.
Iron Heterotrophic	Causes staining to laundry and porcelain and astringent taste. Oxidizes to red-brown precipitate on exposure to air.
Plate Count	Criteria is 500 cfu/mL Measure of heterotrophic bacteria present.

### **GLOSSARY OF REPORT TERMS**

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory. UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



-

Chain of Custody (COC) / Analytical Request Form

Canada Toll Free: 1 800 668 9878



COC Number: 17 - 756176

Page of ·

										_								
Report To Contact and company name below will appear on the final r					Select Service Level Below - Contact your AM to confirm all E&P TATs (surcharges may apply)													
Company: Vancouver School Board		Select Report Format: Select Report Format: Select Report Format:				Regular [R] Standard TAT if received by 3 pm - business days - no surcharges apply												
Contact: Stephen Thomas		Quality Control (QC) Report with Report YES NO				हेड्रै   4 day (P4-20%)   ↓ Business day [E - 100%]												
Phone: 604 - 713-5637	604 - 713 - 563 7- Compare Results to Criteria on Report - provide details below if box checked				3 day [P3-25%]										Г			
Company address below will appear on the final report		Select Distribution: 🚩 EMAIL     MAIL   FAX				2 day [P2-50%] (Laboratory opening fees may apply) ]												
Street: 1549 Clark Drive	E	Email 1 or Fax	ssthema	sevsb.	bc.ca	Da	Date and Time Required for all E&P TATs: dd-mmm-yy hh:mm											
City/Province: Vancouver B.C.		mail 2 r	lemay@v	rsb. k.	ca	For tests th	ests that can not be performed according to the service level selected, you will be contacted.											
Postal Code:	E	Email 3				╂──┲─	Analysis Request											
Invoice To Same as Report To X YES YES			Invoice Dis			-0	Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below										<b>_</b>	
Copy of Invoice with Report YES NO			istribution: 🗹 E			L 🖉 L			-								Ē	
Company:		Email 1 or Fax	ssthoma	mas@usb.bc.ca												0	L L	
Contact:	E		Temay@			ONTAINER										I	E S	
Project Information			Dil and Gas Require		e)	IEI -										z	cial	
ALS Account # / Quote #:	A	FE/Cost Center:		PO#		161						3			ł	ΙŌ	S.	
Job# Sil James Darglas Amex		lajor/Minor Code:		Routing Code:		ŪΟ								•			868	
PO/AFE:	٦	Requisitioner:				6 >	Ч			-						IШ	D2	
LSD:	Ł	ocation;					1										N N N	
ALS Lab Work Order # (lab use only):	م	ALS Contact:		Sampler: Ka	eney	WBE	al l			_						AMA-	SUSPECTED HAZARD (see Special Instructions)	
TALS Sample #	Si <u>dinā</u> tes 🚈 🚍		Date		Sample Type	Z				_							L. C.	
(lab use only) (This description will appear on the	e report)		(dd-mmm-yy)	(hh:mm)		Ī										S	ŝns	
Rn. 129 DF			11 - 09 - 19 11 - 09 - 19	2:20pm	water													
Rm. 126 DE			11-09-19	2:2500	water												1	
Ro 118 FS		•	11-09-19	2:29 pm	inchar										_		1	
				<u></u>	where i								+					
				-					+				+-+		+	<b> </b>	+	
	· · · · · · · · · · · · · · · · · · ·				·····			┨┈╼┼━━	╉╼╍╂╍				+			<b>├</b> ──	-	
	· · · · ·	·			ļ	++-			<u> </u>				+	$\rightarrow$			<u> </u>	
										-  -						<u> </u>		
			· · ·		· · · ·		•											
								<u> </u>	+ - + -			╞╌╴┠╶╸	++			·		
Special	Instructions / Sr	ecify Criteria to	add on report by clici	king on the drop-dr	won lief helow				AMPLE	ONDI	TION AS	RECEIVE	 D (iab u∉	se onivi	<u>_</u>			
Drinking Water (DW) Samples' (client use) Special Instructions / Specify Criteria to add on report by clicking on the (electronic COC only)				ing on the drop down hat below		Frozen					avations			فقيسهم والم	No			
Are samples taken from a Regulated DW System?					Ice Pack	s 🗖			ustody	seal inta	ct Yes	s 🖸	1	No	Ī			
					Cooling i	nitiated										-		
Are samples for human consumption / use? No preservatives added						INITIA	L COOLER TE	MPERATUR	ES °C				OOLER T	EMPERATU	IRES *C			
YES   NO						1					16	<b>,</b>				1		
SHIPMENT RELEASE (client use)			INITIAL SHIPMEN		b use only)			······································	FI	NAL S		T RECEPT	ION (lat	use or	ily)		<u></u> 20	
Released by: Date:	Time:	Received by:		Date:		Time:	Rec	eived by:	PAUL	-	Date	; <u> </u>	FF	11		Time:	1	
REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION				TE - LABORATORY					INVL	·			<u>~I_</u>	<u></u>		¥Y~-¥		
THE HE IS A REAL TOP TOTALS COONTO NOT ON THE UNIT ON THE OWNER ON THE OWNER					AAN LEFED.											JOHL		

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.