



VANCOUVER SCHOOL BOARD  
ATTN: Facilities  
Maintenance and Construction  
1549 Clark Drive  
Vancouver BC V5L 3L4

Date Received: 22-JUN-16  
Report Date: 13-SEP-16 17:00 (MT)  
Version: FINAL REV. 3

Client Phone: --

## Certificate of Analysis

**Lab Work Order #:** L1787872  
**Project P.O. #:** 0000125902  
**Job Reference:**  
**C of C Numbers:** 15-567194, 15-567195  
**Legal Site Desc:**

**Comments:** Report containing samples from each school separately.

Dean Watt, B.Sc.  
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700  
ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

# ALS ENVIRONMENTAL ANALYTICAL REPORT

	<b>Sample ID</b> <b>Description</b> <b>Sampled Date</b> <b>Sampled Time</b> <b>Client ID</b>	L1787872-9 Water 22-JUN-16 13:35 LAURIER ANNEX 118-SINK	L1787872-10 Water 22-JUN-16 13:30 LAURIER ANNEX 119-DF		
Grouping	Analyte				
<b>WATER</b>					
<b>Total Metals</b>	Lead (Pb)-Total (mg/L)	0.00146	0.0365		