



VANCOUVER SCHOOL BOARD
ATTN: Facilities
Maintenance and Construction
1549 Clark Drive
Vancouver BC V5L 3L4

Date Received: 16-MAY-16
Report Date: 25-MAY-16 13:43 (MT)
Version: FINAL

Client Phone: --

Certificate of Analysis

Lab Work Order #: L1769265
Project P.O. #: NOT SUBMITTED
Job Reference:
C of C Numbers: 15-563397, 15-563398, 15-563399
Legal Site Desc:

Comments: Report separated by school.

Dean Watt, B.Sc.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700
ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

	Sample ID Description Sampled Date Sampled Time Client ID	L1769265-11 WATER 16-MAY-16 10:50 TILLICUM 121-DF	L1769265-12 WATER 16-MAY-16 10:50 TILLICUM 105-DF		
Grouping	Analyte				
WATER					
Total Metals	Lead (Pb)-Total (mg/L)	0.000254	0.000504		